

ITEM: 4E028 - Thermostat 24 V

PICK REQ: 1073014308

MATERIAL SAFETY DATA SHEET (MSDS)

MSDS: B2283

This MSDS should be attached or kept with the respective product with which it is associated.

##### MATERIAL SAFETY DATA SHEET - B2283 ##### AND CONTACT WITH SKIN AND EYES. THE SYMPTOMS OF OVER-EXPOSURE TO MERCURY ARE AS FOLLOWS:

Associated Grainger Item: 4E028 - Thermostat 24 V

4E031, 4E032, 4E033, 4E034, 4E070, 4E071, 4E072, 4E947, 4Y231, 4Y232, 4RLO3 4NY87

MATERIAL SAFETY DATA SHEET

PREPARED TO U.S. OSHA, CMA, ANSI AND CANADIAN WHMIS STANDARDS

PART: I

WHAT IS THE MATERIAL AND WHAT DO I NEED TO KNOW IN AN EMERGENCY?

1. PRODUCT IDENTIFICATION

TRADE NAME (AS LABELED): MERCURY

CHEMICAL NAME/CLASS: MERCURY; ELEMENT

SYNONYMS:  
COLLOIDAL MERCURY, QUICK SILVER  
LIQUID SILVER NCI-C60399  
HYDRARGYRUM

PRODUCT USE: VARIETY OF INDUSTRIAL, ANALYTICAL, AND RESEARCH APPLICATIONS.

SUPPLIER/MANUFACTURER'S NAME: BETHLEHEM APPARATUS COMPANY

ADDRESS:  
890 FRONT STREET  
HELLERTOWN, PA 18055

EMERGENCY PHONE: 610-838-7034

BUSINESS PHONE: 610-838-7034

DATE OF PREPARATION: JUNE 1, 2007

2. COMPOSITION AND INFORMATION ON INGREDIENTS

CHEMICAL NAME	CAS#	% W/W	EXPOSURE LIMITS IN AIR			IDLH	OTHER
			ACGIH TLV MG/M3	OSHA PEL STEL MG/M3	OSHA PEL STEL MG/M3		
MERCURY	7439-97-6	100	0.025, NE A4, SKIN	0.1 C	10	NIOSH REL: MERCURY VAPOR: 0.05, SKIN; OTHER: 0.1C, SKIN	
			MERCURY VAPOR: 05, SKIN; (VACATED)	NON-ALKYL MERCURY COMPOUNDS: 0.1 C, SKIN (VACATED)		DFG MAK: 0.1	
				1989 PEL)	1989 PEL)	EPA-D; IARC-3	

NE: NOT ESTABLISHED.

C: CEILING LIMIT

A4: NOT CLASSIFIABLE AS A HUMAN CARCINOGEN. SEE SECTION 16 FOR DEFINITIONS OF TERMS USED.

NOTE: ALL WHMIS REQUIRED INFORMATION IS INCLUDED. IT IS LOCATED IN APPROPRIATE SECTIONS BASED ON THE ANSI Z400.1-1993 FORMAT.

3. HAZARD IDENTIFICATION

HAZARDOUS MATERIAL INFORMATION SYSTEM:

HEALTH (BLUE) 3  
FLAMMABILITY (RED) 0  
REACTIVITY (YELLOW) 0  
PROTECTIVE EQUIPMENT X

EYES:  
RESPIRATORY:  
HANDS:  
BODY:

SAFETY GLASSES: SEE SECTION 8

GLOVES: SEE SECTION 8

FOR A VARIETY OF APPLICATIONS INVOLVING ELEMENTAL MERCURY

EMERGENCY OVERVIEW:  
MERCURY IS A SILVER-WHITE, HEAVY LIQUID WHICH IS ODORLESS. MERCURY IS HIGHLY TOXIC, IRRITATING, AND CAUSES SENSITIZATION AND NEUROLOGICAL SYMPTOMS. THE PRIMARY HEALTH HAZARD ASSOCIATED WITH EMERGENCY RESPONSE TO THIS PRODUCT IS THE POTENTIAL FOR IRRITATION OF SKIN, EYES, OR OTHER CONTAMINATED TISSUES. MERCURY CAUSES SEVERE, ADVERSE HEALTH EFFECTS AFTER CHRONIC EXPOSURE TO LOW VAPOR LEVELS; EMERGENCY RESPONSE EFFORTS MUST BE DIRECTED TO REMOVAL OF ALL TRACES OF THIS PRODUCT. MERCURY IS NOT FLAMMABLE, AND IS RELATIVELY STABLE (THOUGH IT CAN REACT WITH MANY METALS TO FORM AMALGAMS). EMERGENCY RESPONDERS MUST WEAR THE PERSONAL PROTECTIVE EQUIPMENT SUITABLE FOR THE SITUATION TO WHICH THEY ARE RESPONDING.

SYMPTOMS OF OVER-EXPOSURE BY ROUTE OF EXPOSURE:

THE MOST SIGNIFICANT ROUTES OF OCCUPATIONAL OVER-EXPOSURE ARE INHALATION

INHALATION:

LONG-TERM EXPOSURES TO MERCURY VAPORS PRESENT A SEVERE HEALTH HAZARD. WHEN INHALED, MERCURY WILL BE RAPIDLY DISTRIBUTED THROUGHOUT THE BODY. DURING THIS TIME, MERCURY WILL CROSS THE BLOOD-BRAIN BARRIER, AND BECOME OXIDIZED TO THE HG(II) OXIDATION STATE. THE OXIDIZED SPECIES OF MERCURY CANNOT CROSS THE BLOOD-BRAIN BARRIER AND THUS ACCUMULATES IN THE BRAIN. MERCURY IN OTHER ORGANS IS REMOVED SLOWLY FROM THE BODY VIA THE KIDNEYS. THE AVERAGE HALF-TIME FOR CLEARANCE OF MERCURY FOR DIFFERENT PARTS OF THE HUMAN BODY IS AS FOLLOWS:  
LUNG, 1.7 DAYS; HEAD, 21 DAYS; KIDNEY REGION, 64 DAYS; CHEST, 43 DAYS; WHOLE BODY, 58 DAYS.

LONG-TERM INHALATION OVER-EXPOSURES CAN LEAD TO THE DEVELOPMENT OF A WIDE VARIETY OF SYMPTOMS, INCLUDING THE FOLLOWING:  
EXCESSIVE SALIVATION, GINGIVITIS, ANOREXIA, CHILLS, FEVER, CARDIAC ABNORMALITIES, ANEMIA, DIGESTIVE PROBLEMS, ABDOMINAL PAINS, FREQUENT URINATION, AN INABILITY TO URINATE, DIARRHEA, PERIPHERAL NEUROPATHY (NUMBNESS, WEAKNESS, OR BURNING SENSATIONS IN THE HANDS OR FEET), TREMORS (ESPECIALLY IN THE HANDS, FINGERS, EYELIDS, LIPS, CHEEKS, TONGUE, OR LEGS), ALTERATION OF TENDON REFLEXES, SLURRED SPEECH, VISUAL DISTURBANCES, AND DEAFNESS. ALLERGIC REACTIONS (I.E. BREATHING DIFFICULTY) MAY ALSO OCCUR IN SENSITIVE INDIVIDUALS.

THE PRINCIPAL TARGET ORGAN ASSOCIATED WITH CHRONIC MERCURY EXPOSURES VIA INHALATION IS THE CENTRAL NERVOUS SYSTEM. SUCH EXPOSURES LEAD TO THE DEVELOPMENT OF "ERETHISM". THIS SYNDROME CONSISTS OF SUBTLE OR DRAMATIC CHANGES IN BEHAVIOR AND PERSONALITY:  
DEPRESSION, FEARFULNESS, RESTLESSNESS, IRRITABILITY, TIMIDITY, AND INDECISION. THESE PSYCHIC AND BEHAVIORAL CHARACTERISTICS ARE OFTEN ACCOMPANIED BY INSOMNIA, DROWSINESS, HEADACHE, FATIGUE. IN ADVANCED CASES, MEMORY LOSS, HALLUCINATIONS, AND MENTAL DETERIORATION MAY OCCUR.

ANOTHER, LESS COMMON, SYNDROME ASSOCIATED WITH MERCURY OVER-EXPOSURE IS "ACRODYNEA". SYMPTOMS OF THIS SYNDROME INCLUDE A PINK COLOR TO THE EXTREMITIES, APATHY, FEVER, KIDNEY PROBLEMS, SENSITIVITY TO LIGHT, GENERALIZED EDEMA, AND A PAINFUL SCALING OF THE SKIN OF THE HANDS AND FEET. OTHER SYMPTOMS OF CHRONIC OVEREXPOSURE TO MERCURY CAN INCLUDE LOOSENING OF THE TEETH, INFLAMMATION OF THE MUCOUS MEMBRANES, A DARK BLUE LINE APPEARING ALONG GINGIVAL MARGINS, ABNORMAL BLUSHING, EXCESSIVE SWEATING, RASHES. REPRODUCTIVE EFFECTS, SEXUAL DISORDERS, AND IMPOTENCE MAY ALSO DEVELOP IN THE EVENT OF MERCURY OVER-EXPOSURE.

SHORT-TERM OVER-EXPOSURES TO HIGH CONCENTRATIONS OF MERCURY VAPORS CAN LEAD TO BREATHING DIFFICULTY, COUGHING, ACUTE, CHEMICAL PNEUMONIA, AND PULMONARY EDEMA (A POTENTIALLY FATAL ACCUMULATION OF FLUID IN THE LUNGS). DEPENDING ON THE CONCENTRATION OF OVER-EXPOSURE, CARDIAC ABNORMALITIES, DAMAGE TO THE KIDNEY, LIVER OR NERVES AND EFFECTS ON THE BRAIN MAY OCCUR.

IF THIS PRODUCT IS HEATED, AND EXPOSURE TO MERCURY FUMES OCCURS, "METAL FUME FEVER" MAY DEVELOP. THIS SYNDROME IS A FLU-LIKE ILLNESS WHICH OCCURS WHEN METAL OXIDES BELOW 1.5 MICRONS IN SIZE ARE INHALED. SYMPTOMS OF THIS SYNDROME MAY DEVELOP 4-12 HOURS AFTER EXPOSURE AND BEGIN WITH THE ONSET OF THIRST, METALLIC TASTE IN THE MOUTH, AND SYMPTOMS OF MERCURY POISONING AS DESCRIBED ABOVE. ALL SYMPTOMS GENERALLY SUBSIDE WITHIN 24-36 HOURS AFTER THE OVER-EXPOSURE ENDS.

CONTACT WITH SKIN OR EYES:  
MERCURY CAN BE IRRITATING TO CONTAMINATED SKIN AND EYES. SYMPTOMS OF SKIN EXPOSURE CAN INCLUDE REDNESS, DRY SKIN, AND PAIN. PROLONGED CONTACT MAY LEAD TO ULCERATION OF THE SKIN. ALLERGIC REACTIONS (I.E. RASHES, WELTS) MAY OCCUR IN SENSITIVE INDIVIDUALS. DERMATITIS (REDNESS AND INFLAMMATION OF THE SKIN) MAY OCCUR AFTER REPEATED SKIN EXPOSURES. SYMPTOMS OF EYE EXPOSURE CAN INCLUDE REDNESS, PAIN, AND WATERY EYES. A SYMPTOM OF MERCURY EXPOSURE IS DISCOLORATION OF THE LENS OF THE EYES.

SKIN ABSORPTION:  
SKIN ABSORPTION IS A SIGNIFICANT ROUTE OF POTENTIAL OVER-EXPOSURE TO MERCURY. CURRENTLY, NO QUANTITATIVE ESTIMATES OF THE RATE OF PENETRATION ARE AVAILABLE. SYMPTOMS OF SUCH OVER-EXPOSURE WOULD INCLUDE REDNESS AND IRRITATION OF THE CONTAMINATED AREA, AS WELL AS THE DEVELOPMENT OF SYMPTOMS DESCRIBED FOR "INHALATION".

INGESTION:  
INGESTION IS NOT ANTICIPATED TO BE A SIGNIFICANT ROUTE OF OCCUPATIONAL OVER-EXPOSURE. IF MERCURY IS SWALLOWED, SYMPTOMS OF SUCH OVER-EXPOSURE CAN INCLUDE METALLIC TASTE IN MOUTH, NAUSEA, VOMITING, CENTRAL NERVOUS SYSTEM EFFECTS, AND DAMAGE TO THE KIDNEYS. METALLIC MERCURY IS NOT USUALLY ABSORBED SUFFICIENTLY FROM THE GASTROINTESTINAL TRACT TO INDUCE AN ACUTE, TOXIC RESPONSE. DAMAGE TO THE TISSUES OF THE MOUTH, THROAT, ESOPHAGUS, AND OTHER TISSUES OF THE DIGESTIVE SYSTEM MAY OCCUR. INGESTION MAY BE FATAL, DUE TO EFFECTS ON GASTROINTESTINAL SYSTEM AND KIDNEYS.

INJECTION:  
INJECTION IS NOT ANTICIPATED TO BE A SIGNIFICANT ROUTE OF OVER-EXPOSURE FOR THIS PRODUCT. IF MERCURY IS INJECTED (I.E. THROUGH ABRASIONS AND LACERATIONS OF THE SKIN), LOCAL REDNESS AND PAIN WILL OCCUR. OTHER SYMPTOMS OF SUCH EXPOSURE CAN INCLUDE THE DEVELOPMENT OF EMBOLISM (MERCURY BLOCKING A VEIN OR ARTERY), MALAISE, CHEST PAIN, AND DIFFICULTY IN BREATHING.

HEALTH EFFECTS OR RISKS FROM EXPOSURE:  
AN EXPLANATION IN LAY TERMS. THE MOST SEVERE HEALTH EFFECTS ASSOCIATED WITH MERCURY EXPOSURE ARE RELATED TO LONG-TERM EXPOSURES TO VAPORS. IN THE EVENT OF OVER-EXPOSURE, THE FOLLOWING SYMPTOMS MAY BE OBSERVED:

ACUTE:  
MERCURY CAN BE IRRITATING TO CONTAMINATED SKIN AND EYES. SHORT-TERM OVER-EXPOSURES TO HIGH CONCENTRATIONS OF MERCURY VAPORS CAN LEAD TO BREATHING DIFFICULTY, COUGHING, ACUTE, AND POTENTIALLY FATAL LUNG DISORDERS, DEPENDING ON THE CONCENTRATION OF INHALATION OVER-EXPOSURE, HEART PROBLEMS, DAMAGE TO THE KIDNEY, LIVER OR NERVES AND EFFECTS ON THE BRAIN MAY OCCUR.

CHRONIC:  
LONG TERM OVER-EXPOSURE CAN LEAD TO A WIDE RANGE OF ADVERSE HEALTH EFFECTS. ANYONE USING MERCURY MUST PAY ATTENTION TO PERSONALITY CHANGES, WEIGHT LOSS, SKIN OR GUM DISCOLORATIONS, STOMACH PAINS, AND OTHER SIGNS OF MERCURY OVER-EXPOSURE. GRADUALLY DEVELOPING SYNDROMES ("ERETHISM" AND "ACRODYNEA")

ARE INDICATIVE OF POTENTIALLY SEVERE HEALTH PROBLEMS. MERCURY CAN CAUSE THE DEVELOPMENT OF ALLERGIC REACTIONS (I.E. DERMATITIS, RASHES, BREATHING DIFFICULTY) UPON PROLONGED OR REPEATED EXPOSURES. REFER TO SECTION 11 (TOXICOLOGY INFORMATION) FOR ADDITIONAL DATA.

PART: IY

WHAT SHOULD I DO IF A HAZARDOUS SITUATION OCCURS?

#### 4. FIRST-AID MEASURES

##### SKIN EXPOSURE:

IF MERCURY CONTAMINATES THE SKIN, IMMEDIATELY BEGIN DECONTAMINATION WITH RUNNING WATER. MINIMUM FLUSHING IS FOR 15 MINUTES. REMOVE EXPOSED OR CONTAMINATED CLOTHING, TAKING CARE NOT TO CONTAMINATE EYES. THE CONTAMINATED INDIVIDUAL MUST SEEK IMMEDIATE MEDICAL ATTENTION.

##### EYE EXPOSURE:

IF MERCURY CONTAMINATES THE EYES, OPEN THE VICTIM'S EYES WHILE UNDER GENTLY RUNNING WATER. USE SUFFICIENT FORCE TO OPEN EYELIDS. HAVE THE CONTAMINATED INDIVIDUAL "ROLL" EYES. MINIMUM FLUSHING IS FOR 15 MINUTES. THE CONTAMINATED INDIVIDUAL MUST SEEK IMMEDIATE MEDICAL ATTENTION.

##### INHALATION:

IF MERCURY VAPORS ARE INHALED, REMOVE VICTIM TO FRESH AIR. IF NECESSARY, USE ARTIFICIAL RESPIRATION TO SUPPORT VITAL FUNCTIONS. REMOVE OR COVER GROSS CONTAMINATION TO AVOID EXPOSURE TO RESCUERS. THE CONTAMINATED INDIVIDUAL MUST SEEK IMMEDIATE MEDICAL ATTENTION.

##### INGESTION:

IF MERCURY IS SWALLOWED, CALL PHYSICIAN OR POISON CONTROL CENTER FOR MOST CURRENT INFORMATION. IF PROFESSIONAL ADVICE IS NOT AVAILABLE, INDUCE VOMITING. VICTIM SHOULD DRINK MILK, EGG WHITES, OR LARGE QUANTITIES OF WATER. NEVER INDUCE VOMITING OR GIVE DILUENTS (MILK OR WATER) TO SOMEONE WHO IS UNCONSCIOUS, HAVING CONVULSIONS, OR UNABLE TO SWALLOW.

CONTAMINATED INDIVIDUALS MUST BE TAKEN FOR MEDICAL ATTENTION. RESCUERS SHOULD BE TAKEN FOR MEDICAL ATTENTION, IF NECESSARY. TAKE A COPY OF LABEL AND MSDS TO HEALTH PROFESSIONAL WITH VICTIM.

#### 5. FIRE-FIGHTING MEASURES

##### NFPA RATING:

HEALTH 3  
FLAMMABILITY 0  
REACTIVITY 0  
OTHER

FLASH POINT, DEG. C (METHOD): NOT FLAMMABLE.

AUTOIGNITION TEMPERATURE, DEG. C: NOT APPLICABLE.

FLAMMABLE LIMITS (IN AIR BY VOLUME, %):

LOWER (LEL): NOT APPLICABLE.  
UPPER (UEL): NOT APPLICABLE.

FIRE EXTINGUISHING MATERIALS:

WATER SPRAY: YES  
CARBON DIOXIDE: YES  
FOAM: YES  
DRY CHEMICAL: YES  
HALON: YES  
OTHER: ANY "ABC" CLASS.

##### UNUSUAL FIRE AND EXPLOSION HAZARDS:

MERCURY VAPORS AND MERCURY OXIDES GENERATED DURING FIRES INVOLVING THIS PRODUCT ARE TOXIC; ADDITIONALLY, THIS ELEMENT CAN BE IRRITATING TO CONTAMINATED TISSUE. THEREFORE, THIS PRODUCT PRESENTS A SEVERE HEALTH HAZARD TO FIREFIGHTERS. MERCURY IS NOT FLAMMABLE, AND IS RELATIVELY STABLE (THOUGH IT CAN REACT WITH MANY METALS TO FORM AMALGAMS).

EXPLOSION SENSITIVITY TO MECHANICAL IMPACT: NOT SENSITIVE.

EXPLOSION SENSITIVITY TO STATIC DISCHARGE: NOT SENSITIVE.

##### SPECIAL FIRE-FIGHTING PROCEDURES:

INCIPENT FIRE RESPONDERS SHOULD WEAR EYE PROTECTION. STRUCTURAL FIREFIGHTERS MUST WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. MOVE FIRE-EXPOSED CONTAINERS IF IT CAN BE DONE WITHOUT RISK TO FIREFIGHTERS. APPLY COOLING WATER TO SIDES OF CONTAINERS THAT ARE EXPOSED TO FLAME UNTIL WELL AFTER FIRE IS OUT. DECONTAMINATE ALL EQUIPMENT THOROUGHLY AFTER THE CONCLUSION OF FIRE-FIGHTING ACTIVITIES. IF POSSIBLE, PREVENT RUN-OFF WATER FROM ENTERING STORM DRAINS, BODIES OF WATER, OR OTHER ENVIRONMENTALLY SENSITIVE AREAS.

#### 6. ACCIDENTAL RELEASE MEASURES

##### SPILL AND LEAK RESPONSE:

UNCONTROLLED RELEASES SHOULD BE RESPONDED TO BY TRAINED PERSONNEL USING PREPLANNED PROCEDURES. PROPER PROTECTIVE EQUIPMENT SHOULD BE USED. IN CASE OF A MERCURY RELEASE, CLEAR THE AFFECTED AREA, PROTECT PEOPLE, AND RESPOND WITH TRAINED PERSONNEL.

IN THE EVENT OF A RELEASE UNDER 1 POUND OF MERCURY, THE MINIMUM PERSONAL PROTECTIVE EQUIPMENT SHOULD BE LEVEL C:

TRIPLE-GLOVES (RUBBER GLOVES AND NITRILE GLOVES OVER LATEX GLOVES), CHEMICAL RESISTANT SUIT AND BOOTS, HARD-HAT, AND AIR-PURIFYING RESPIRATOR WITH CARTRIDGE APPROPRIATE FOR MERCURY. LEVEL B, WHICH INCLUDES SELF-CONTAINED BREATHING APPARATUS, MUST BE WORN IF THE AMOUNT OF MERCURY RELEASED IS OVER 1 POUND OR WHEN THE CONCENTRATION OF OXYGEN IN ATMOSPHERES IS LESS THAN 19.5% OR UNKNOWN.

IF NECESSARY, DIKE AREA OF RELEASE WITH SUITABLE ABSORBENT MATERIALS. THERE ARE A VARIETY OF METHODS WHICH CAN BE USED TO CLEAN-UP MERCURY SPILLS. USE A COMMERCIALY-AVAILABLE MERCURY SPILL KIT FOR SMALL SPILLS. A SUCTION PUMP WITH ASPIRATOR CAN ALSO BE USED DURING CLEAN-UP OPERATIONS. FOR LARGER RELEASES, A MERCURY VACUUM CAN BE USED. CALCIUM POLYSULFIDE OR EXCESS SULFUR CAN ALSO BE USED FOR CLEAN-UP. MERCURY CAN MIGRATE INTO CRACKS AND OTHER DIFFICULT-TO-CLEAN AREAS; CALCIUM POLYSULFIDE AND SULFUR CAN BE SPRINKLED EFFECTIVELY INTO THESE AREAS.

DECONTAMINATE THE AREA THOROUGHLY. THE AREA SHOULD BE INSPECTED VISUALLY AND WITH COLORIMETRIC TUBES FOR MERCURY TO ENSURE ALL TRACES OF MERCURY HAVE BEEN REMOVED PRIOR TO RE-OCCUPATION BY NON-EMERGENCY PERSONNEL. DECONTAMINATE ALL EQUIPMENT USED IN RESPONSE THOROUGHLY. IF SUCH EQUIPMENT

CANNOT BE ADEQUATELY DECONTAMINATED, IT MUST BE DISCARDED WITH OTHER SPILL RESIDUE. PLACE ALL SPILL RESIDUE IN AN APPROPRIATE CONTAINER, SEAL IMMEDIATELY, AND LABEL APPROPRIATELY. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL HAZARDOUS WASTE DISPOSAL REGULATIONS (SEE SECTION 13, DISPOSAL CONSIDERATIONS).

PART: III

HOW CAN I PREVENT HAZARDOUS SITUATIONS FROM OCCURRING?

#### 7. HANDLING AND STORAGE

##### WORK PRACTICES AND HYGIENE PRACTICES:

AS WITH ALL CHEMICALS, AVOID GETTING MERCURY ON YOU OR IN YOU. WASH THOROUGHLY AFTER HANDLING THIS PRODUCT. AVOID BREATHING VAPORS OR SPRAYS OF THIS PRODUCT. DO NOT EAT OR DRINK WHILE HANDLING THIS PRODUCT. REMOVE CONTAMINATED CLOTHING IMMEDIATELY. REPORT ALL MERCURY RELEASES PROMPTLY. CLEAN-UP ALL RELEASES OF THIS PRODUCT IMMEDIATELY. SUPERVISORS AND OTHER RESPONSIBLE PERSONNEL MUST BE AWARE OF PERSONALITY CHANGES, WEIGHT LOSS, OR OTHER SIGNS OF MERCURY OVER-EXPOSURE IN EMPLOYEES USING THIS PRODUCT; THESE SYMPTOMS CAN DEVELOP GRADUALLY AND ARE INDICATIVE OF POTENTIALLY SEVERE HEALTH EFFECTS RELATED TO MERCURY CONTAMINATION.

##### STORAGE AND HANDLING PRACTICES:

ALL EMPLOYEES WHO HANDLE THIS MATERIAL SHOULD BE TRAINED TO HANDLE IT SAFELY. USE IN A WELL-VENTILATED LOCATION. OPEN CONTAINERS SLOWLY ON A STABLE SURFACE. DRUMS, FLASKS, AND BOTTLES OF THIS PRODUCT MUST BE PROPERLY LABELED. EMPTY CONTAINERS MAY CONTAIN RESIDUAL AMOUNTS OF MERCURY; THEREFORE, EMPTY CONTAINERS SHOULD BE HANDLED WITH CARE. STORE DRUMS, FLASKS, AND BOTTLES IN A COOL, DRY LOCATION, AWAY FROM DIRECT SUNLIGHT, SOURCES OF INTENSE HEAT, OR WHERE FREEZING IS POSSIBLE. STORE AWAY FROM INCOMPATIBLE MATERIALS (SEE SECTION 10, STABILITY AND REACTIVITY). MATERIAL SHOULD BE STORED IN SECONDARY CONTAINERS OR IN A DIKED AREA, AS APPROPRIATE. KEEP DRUMS, FLASKS, AND BOTTLES TIGHTLY CLOSED WHEN NOT IN USE. STORAGE AREAS SHOULD BE MADE OF FIRE-RESISTANT MATERIALS. IF APPROPRIATE, POST WARNING SIGNS IN STORAGE AND USE AREAS. INSPECT ALL INCOMING CONTAINERS BEFORE STORAGE TO ENSURE CONTAINERS ARE PROPERLY LABELED AND NOT DAMAGED.

##### PROTECTIVE PRACTICES DURING MAINTENANCE OF CONTAMINATED EQUIPMENT:

FOLLOW PRACTICES INDICATED IN SECTION 6 (ACCIDENTAL RELEASE MEASURES). MAKE CERTAIN THAT APPLICATION EQUIPMENT IS LOCKED AND TAGGED-OUT SAFELY. ALWAYS USE THIS PRODUCT IN AREAS WHERE ADEQUATE VENTILATION IS PROVIDED. DECONTAMINATE EQUIPMENT THOROUGHLY BEFORE MAINTENANCE BEGINS.

#### 8. EXPOSURE CONTROLS - PERSONAL PROTECTION

##### VENTILATION AND ENGINEERING CONTROLS:

USE WITH ADEQUATE VENTILATION TO ENSURE EXPOSURE LEVELS ARE MAINTAINED BELOW THE LIMITS PROVIDED IN SECTION 2 (COMPOSITION AND INFORMATION ON INGREDIENTS), IF APPLICABLE. ENSURE EYEWASH/SAFETY SHOWER STATIONS ARE AVAILABLE NEAR AREAS WHERE THIS PRODUCT IS USED.

##### RESPIRATORY PROTECTION:

MAINTAIN AIRBORNE CONTAMINANT CONCENTRATIONS BELOW EXPOSURE LIMITS LISTED IN SECTION 2 (COMPOSITION AND INFORMATION ON INGREDIENTS), IF APPLICABLE. IF RESPIRATORY PROTECTION IS NEEDED, USE ONLY PROTECTION AUTHORIZED IN 29 CFR 1910.134 OR APPLICABLE STATE REGULATIONS. USE SUPPLIED AIR RESPIRATION PROTECTION IF OXYGEN LEVELS ARE BELOW 19.5% OR ARE UNKNOWN. THE FOLLOWING RESPIRATOR SELECTION GUIDELINES FROM NIOSH ARE PROVIDED FOR ADDITIONAL INFORMATION:

RECOMMENDATIONS FOR MERCURY COMPOUNDS (EXCEPT (ORGANO) ALKYL) (AS HG) CONCENTRATIONS IN AIR:

UP TO 0.5 MG/M3:

CHEMICAL CARTRIDGE RESPIRATOR WITH CARTRIDGE(S) TO PROTECT AGAINST MERCURY COMPOUNDS (AN END-OF-SERVICE LIFE INDICATOR IS REQUIRED); OR SUPPLIED-AIR RESPIRATOR (SAR).

UP TO 1.25 MG/M3:

SAR OPERATED IN A CONTINUOUS-FLOW MODE; OR POWERED AIR-PURIFYING RESPIRATOR WITH CARTRIDGE(S) TO PROTECT AGAINST MERCURY COMPOUNDS (CANISTER) (AN END-OF-SERVICE LIFE INDICATOR IS REQUIRED.)

UP TO 2.5 MG/M3:

FULL-FACEPIECE CHEMICAL CARTRIDGE RESPIRATOR WITH CARTRIDGE(S) TO PROTECT AGAINST MERCURY COMPOUNDS; OR GAS MASK WITH CANISTER TO PROTECT AGAINST MERCURY COMPOUNDS; OR SAR WITH A TIGHT-FITTING FACEPIECE OPERATED IN A CONTINUOUS-FLOW MODE; OR POWERED AIR-PURIFYING RESPIRATOR WITH A TIGHT-FITTING FACEPIECE AND CARTRIDGE(S) TO PROTECT AGAINST MERCURY COMPOUNDS (CANISTER) (AN END-OF-SERVICE LIFE INDICATOR IS REQUIRED); OR FULL-FACEPIECE SELF-CONTAINED BREATHING APPARATUS (SCBA); OR FULL-FACEPIECE SAR.

UP TO 10 MG/M3: POSITIVE PRESSURE SAR.

EMERGENCY OR PLANNED ENTRY INTO UNKNOWN CONCENTRATIONS OR IDLH CONDITIONS: POSITIVE PRESSURE, FULL-FACEPIECE SCBA; OR POSITIVE PRESSURE, FULL-FACEPIECE SAR WITH AN AUXILIARY POSITIVE PRESSURE SCBA

##### ESCAPE:

GAS MASK WITH CANISTER TO PROTECT AGAINST MERCURY COMPOUNDS; OR ESCAPE-TYPE SCBA.

##### EYE PROTECTION:

SPLASH GOGGLES OR SAFETY GLASSES. FOR OPERATIONS INVOLVING THE USE OF MORE THAN 1 POUND OF MERCURY, OR IF THE OPERATION MAY GENERATE A SPRAY OF MERCURY, THE USE OF A FACESHIELD IS RECOMMENDED.

##### HAND PROTECTION:

WEAR NEOPRENE GLOVES FOR ROUTINE INDUSTRIAL USE. USE TRIPLE GLOVES FOR SPILL RESPONSE, AS STATED IN SECTION 6 (ACCIDENTAL RELEASE MEASURES) OF THIS MSDS.

##### BODY PROTECTION:

USE BODY PROTECTION APPROPRIATE FOR TASK (I.E. LAB COAT, COVERALLS, TYVEK SUIT).

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

RELATIVE VAPOR DENSITY (AIR = 1): 6.9

EVAPORATION RATE (n-BAUC = 1): NOT DETERMINED.

SPECIFIC GRAVITY (WATER = 1): 13.5939

COMPANY FOR INFORMATION. IF MERCURY MUST BE DISPOSED OF AS HAZARDOUS WASTE, IT MUST BE HANDLED AT A PERMITTED FACILITY OR AS ADVISED BY YOUR LOCAL HAZARDOUS WASTE REGULATORY AUTHORITY. CONSULT BETHLEHEM APPARATUS COMPANY FOR RECLAMATION INFORMATION.

EPA WASTE NUMBER:

DEPENDING ON THE NATURE OF THE WASTE, ONE OF THE FOLLOWING RCRA CODES WILL BE APPLICABLE:

U151 (TOXIC COMMERCIAL CHEMICAL PRODUCTS/MERCURY); D009 (CHARACTERISTIC; TOXICITY CHARACTERISTIC LEACHING PROCEDURE; REGULATED LEVEL: 0.2 MG/L).

#### 14. TRANSPORTATION INFORMATION

THIS MATERIAL IS HAZARDOUS AS DEFINED BY 49 CFR 172.101 BY THE U.S. DEPARTMENT OF TRANSPORTATION.

PROPER SHIPPING NAME: MERCURY  
HAZARD CLASS NUMBER AND DESCRIPTION: 8 (CORROSIVE MATERIAL)  
UN IDENTIFICATION NUMBER: UN 2809  
PACKING GROUP: PG III  
DOT LABEL(S) REQUIRED: CORROSIVE

NOTE:  
FOR TRANSPORT BY AIRCRAFT, MERCURY MUST BE PACKAGED IN PACKAGINGS WHICH MEET THE REQUIREMENTS OF PACKING GROUP I PERFORMANCE LEVEL. FOR TRANSPORTATION BY OTHER MODES, MERCURY MUST BE PACKAGED IN PACKAGINGS WHICH MEET THE REQUIREMENTS OF PACKING GROUP III PERFORMANCE LEVEL OR IN NON-SPECIFICATION REUSABLE METAL PACKAGINGS. REFER TO 49 CFR 173.164 FOR SPECIFIC PACKAGING REQUIREMENTS.

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER, 1996: 172

MARINE POLLUTANT:  
MERCURY IS NOT LISTED AS A MARINE POLLUTANT, PER APPENDIX 8 TO 49 CFR 172.101

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS:  
THIS MATERIAL IS CONSIDERED AS DANGEROUS GOODS. USE THE ABOVE INFORMATION FOR THE PREPARATION OF CANADIAN SHIPMENTS.

#### 15. REGULATORY INFORMATION

SARA REPORTING REQUIREMENTS:  
MERCURY IS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTIONS 302, 304, AND 313 OF TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT, AS FOLLOWS:

COMPONENT	SARA 302	SARA 304	SARA 313
MERCURY	NO	YES	YES

SARA THRESHOLD PLANNING QUANTITY: NOT APPLICABLE.

TSCA INVENTORY STATUS: MERCURY IS LISTED ON THE TSCA INVENTORY.

CERCLA REPORTABLE QUANTITY (RQ): MERCURY - 1 POUND.

OTHER FEDERAL REGULATIONS: NOT APPLICABLE.

STATE REGULATORY INFORMATION:

MERCURY IS COVERED UNDER SPECIFIC STATE REGULATIONS, AS DENOTED BELOW:

ALASKA:  
DESIGNATED TOXIC AND HAZARDOUS SUBSTANCES: MERCURY.

CALIFORNIA:  
PERMISSIBLE EXPOSURE LIMITS FOR CHEMICAL CONTAMINANTS: MERCURY.

FLORIDA:  
SUBSTANCE LIST: MERCURY.

ILLINOIS:  
TOXIC SUBSTANCE LIST: MERCURY.

KANSAS:  
SECTION 302/313 LIST: MERCURY.

MASSACHUSETTS:  
SUBSTANCE LIST: MERCURY.

MINNESOTA:  
LIST OF HAZARDOUS SUBSTANCES: MERCURY.

MISSOURI:  
EMPLOYER INFORMATION/TOXIC SUBSTANCE LIST: MERCURY.

NEW JERSEY:  
RIGHT TO KNOW HAZARDOUS SUBSTANCE LIST: MERCURY.

NORTH DAKOTA:  
LIST OF HAZARDOUS CHEMICALS, REPORTABLE QUANTITIES: MERCURY.

PENNSYLVANIA:  
HAZARDOUS SUBSTANCE LIST: MERCURY.

RHODE ISLAND:  
HAZARDOUS SUBSTANCE LIST: MERCURY.

TEXAS:  
HAZARDOUS SUBSTANCE LIST: MERCURY.

WEST VIRGINIA:  
HAZARDOUS SUBSTANCE LIST: MERCURY.

WISCONSIN:  
TOXIC AND HAZARDOUS SUBSTANCES: MERCURY.

CALIFORNIA PROPOSITION 65:  
MERCURY IS ON THE CALIFORNIA PROPOSITION 65 LISTS.

WARNING:

CONTAINS A CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

LABELING (PRECAUTIONARY STATEMENTS):

DANGER!

HIGHLY TOXIC AFTER LONG-TERM EXPOSURE DANGER OF CUMULATIVE EFFECTS. MAY CAUSE DAMAGE TO THE NERVOUS SYSTEM, BLOOD SYSTEM, KIDNEYS, LIVER. REPRODUCTIVE HAZARD, HARMFUL OR FATAL IF INHALED OR SWALLOWED. MAY CAUSE ALLERGIC SKIN AND RESPIRATORY REACTION. CAUSES SKIN AND EYE IRRITATION DO NOT GET ON SKIN, IN EYES, OR ON CLOTHING. AVOID PROLONGED CONTACT WITH THE SKIN. AVOID BREATHING VAPORS AND FUMES. DO NOT TAKE INTERNALLY. KEEP CONTAINER CLOSED. USE ONLY WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. WEAR GLOVES, GOGGLES, FACE-SHIELD, BODY PROTECTION, AND NIOSH/MSHA-APPROVED RESPIRATORY PROTECTION, AS APPROPRIATE.

FIRST-AID:

IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN OR EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF INHALED, REMOVE TO FRESH AIR. IF INGESTED, INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY.

IN CASE OF FIRE:

USE WATER FOG, DRY CHEMICAL, CO2, OR "ALCOHOL" FOAM.

IN CASE OF SPILL:

VACUUM RELEASED MATERIAL, OR USE A MERCURY SPILL KIT. CONTAINERIZE RESIDUE IMMEDIATELY, AND LABEL APPROPRIATELY. CONSULT MATERIAL SAFETY DATA SHEET FOR ADDITIONAL INFORMATION.

TARGET ORGANS:

SKIN, EYES, RESPIRATORY SYSTEM, CENTRAL NERVOUS SYSTEM, BLOODSYSTEM, KIDNEYS, AND REPRODUCTIVE SYSTEM.

WHMIS SYMBOLS:

D1B:

MATERIALS CAUSING IMMEDIATE AND SERIOUS TOXIC EFFECTS/TOXIC MATERIAL

D2A: MATERIALS CAUSING OTHER TOXIC EFFECTS/VERY TOXIC MATERIAL

D2B: MATERIALS CAUSING OTHER TOXIC EFFECTS/TOXIC MATERIAL

E: CORROSIVE MATERIAL

D1 - MATERIALS CAUSING IMMEDIATE AND SERIOUS TOXIC EFFECTS

D2 - MATERIALS CAUSING OTHER TOXIC EFFECTS

E - CORROSIVE MATERIAL

#### 16. OTHER INFORMATION

PREPARED BY:  
CHEMICAL SAFETY ASSOCIATES, INC.  
9163 CHESAPEAKE DRIVE  
SAN DIEGO, CA 92123-1002

1-800-441-3365

DATE OF PRINTING: JUNE 1, 2007

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. BETHLEHEM APPARATUS COMPANY RESPONSIBILITY FOR INJURY TO THE VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY THE MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEET. ADDITIONALLY, BETHLEHEM APPARATUS COMPANY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN HIS USE OF THE MATERIAL.